

CERTIFICATE OF CONFORMITY



ApprovalMark International hereby grants:

Cascade Sales and Distribution (Pty) T/A Rapid Clamps

183 Elsburg Road, Delville Ext 4 Germiston, 1401 SOUTH AFRICA

ISO Type 5 Certificate of Conformity

Evaluated to:

AS/NZS 4793:2020 – Mechanical tapping bands for waterworks purposes

The ISO Type 5 License shall comply with all the terms and conditions as stipulated by the governance of the operating rules of the ISO Type 5 Scheme and shall comply with the standard requirements at all times including when the standard is amended. The ISO Type 5 License only covers the product which is identified in the attached product schedule.

Certificate No. AMI 74603

Issued: 21st May 2021 Original Issue: 20th April 2015

Expires: 20th October 2025

John PRASAD

Director

ApprovalMark International Pty Ltd 20/33 Holbeche Road, Arndell Park 2148, Australia www.approvalmark.com





Registered by: ApprovalMark International Pty Ltd (ABN 69 143 259 974) Unit 20, 33 Holbeche Road, Arndell Park NSW 2148 Australia. The assessment was carried with appropriate skill and assessment by ApprovalMark International Pty Ltd; however it will only accept its responsibility for proven negligence. The certificate remains the property of ApprovalMark International Pty Ltd.



Product Schedule

Cascade Sales and Distribution (Pty) T/A Rapid Clamps

183 Elsburg Road, Delville Ext 4 Germiston, 1401 SOUTH AFRICA

ISO Type 5 Certificate of Conformity

Evaluated to:

AS/NZS 4793:2020 - Mechanical tapping bands for waterworks purposes

Model Id	Model Name	Brand Name	Product Description	Endorsement
	Ivame	ivanie		Date
CT2-110-135 x	CT Tapping	Rapid	CT Tapping Saddle SS316 110 to 135 x 20mm	21 st May 2021
20BSP	Saddle		BSP Type R	
CT2-110-135 x	CT Tapping	Rapid	CT Tapping Saddle SS316 110 to 135 x 25mm	21 st May 2021
25BSP	Saddle		BSP Type R	
CT2-110-135 x	CT Tapping	Rapid	CT Tapping Saddle SS316 110 to 135 x 32mm	21 st May 2021
32BSP	Saddle		BSP Type R	
CT2-110-135 x	CT Tapping	Rapid	CT Tapping Saddle SS316 110 to 135 x 40mm	21 st May 2021
40BSP	Saddle		BSP Type R	
CT2-110-135 x	CT Tapping	Rapid	CT Tapping Saddle SS316 110 to 135 x 50mm	21 st May 2021
50BSP	Saddle		BSP Type R	
CT2-160-190 x	CT Tapping	Rapid	CT Tapping Saddle SS316 160 to 190 x 20mm	21 st May 2021
20BSP	Saddle		BSP Type R	
CT2-160-190 x	CT Tapping	Rapid	CT Tapping Saddle SS316 160 to 190 x 25mm	21 st May 2021
25BSP	Saddle		BSP Type R	
CT2-160-190 x	CT Tapping	Rapid	CT Tapping Saddle SS316 160 to 190 x 32mm	21 st May 2021
32BSP	Saddle		BSP Type R	
CT2-160-190 x	CT Tapping	Rapid	CT Tapping Saddle SS316 160 to 190 x 40mm	21 st May 2021
40BSP	Saddle		BSP Type R	
CT2-160-190 x	CT Tapping	Rapid	CT Tapping Saddle SS316 160 to 190 x 50mm	21 st May 2021
50BSP	Saddle		BSP Type R	
CT2-210-240 x	CT Tapping	Rapid	CT Tapping Saddle SS316 210 to 240 x 20mm	21 st May 2021
20BSP	Saddle		BSP Type R	
CT2-210-240 x	CT Tapping	Rapid	CT Tapping Saddle SS316 210 to 240 x 25mm	21 st May 2021
25BSP	Saddle		BSP Type R	
CT2-210-240 x	CT Tapping	Rapid	CT Tapping Saddle SS316 210 to 240 x 32mm	21 st May 2021
32BSP	Saddle		BSP Type R	
CT2-210-240 x	CT Tapping	Rapid	CT Tapping Saddle SS316 210 to 240 x 40mm	21 st May 2021
40BSP	Saddle		BSP Type R	
CT2-210-240 x	CT Tapping	Rapid	CT Tapping Saddle SS316 210 to 240 x 50mm	21 st May 2021
50BSP	Saddle		BSP Type R	
CT2-240-270 x	CT Tapping	Rapid	CT Tapping Saddle SS316 240 to 270 x 20mm	21 st May 2021
20BSP	Saddle]	BSP Type R	



Product Schedule

Model Id	Model	Brand	Product Description	Endorsement
	Name	Name		Date
CT2-240-270 x	CT Tapping	Rapid	CT Tapping Saddle SS316 240 to 270 x 25mm	21 st May 2021
25BSP	Saddle		BSP Type R	
CT2-240-270 x	CT Tapping	Rapid	CT Tapping Saddle SS316 240 to 270 x 32mm	21 st May 2021
32BSP	Saddle		BSP Type R	
CT2-240-270 x	CT Tapping	Rapid	CT Tapping Saddle SS316 240 to 270 x 40mm	21 st May 2021
40BSP	Saddle		BSP Type R	
CT2-240-270 x	CT Tapping	Rapid	CT Tapping Saddle SS316 240 to 270 x 50mm	21 st May 2021
50BSP	Saddle		BSP Type R	
CT2-270-300 x	CT Tapping	Rapid	CT Tapping Saddle SS316 270 to 300 x 20mm	21 st May 2021
20BSP	Saddle		BSP Type R	
CT2-270-300 x	CT Tapping	Rapid	CT Tapping Saddle SS316 270 to 300 x 25mm	21 st May 2021
25BSP	Saddle		BSP Type R	
CT2-270-300 x	CT Tapping	Rapid	CT Tapping Saddle SS316 270 to 300 x 32mm	21 st May 2021
32BSP	Saddle		BSP Type R	21 Way 2021
CT2-270-300 x	CT Tapping	Rapid	CT Tapping Saddle SS3 <mark>16 270 to 300 x 4</mark> 0mm	21 st May 2021
40BSP	Saddle		BSP Type R	
CT2-270-300 x	CT Tapping	Rapid	CT Tapping Saddle SS316 270 to 300 x 50mm	21 st May 2021
50BSP	Saddle		BSP Type R	
CT2-330-360 x	CT Tapping	Rapid	CT Tapping Saddle SS316 330 to 360 x 20mm	21 st May 2021
20BSP	Saddle		BSP Type R	
CT2-330-360 x	CT Tapping	Rapid	CT Tapping Saddle SS316 330 to 360 x 25mm	21 st May 2021
25BSP	Saddle		BSP Type R	
CT2-330-360 x	CT Tapping	Rapid	CT Tapping Saddle SS316 330 to 360 x 32mm	21 st May 2021
32BSP	Saddle		BSP Type R	
CT2-330-360 x	CT Tapping	Rapid	CT Tapping Saddle SS316 330 to 360 x 40mm	21 st May 2021
40BSP	Saddle		BSP Type R	
CT2-330-360 x	CT Tapping	Rapid	CT Tapping Saddle SS316 330 to 360 x 50mm	21 st May 2021
50BSP	Saddle		BSP Type R	

_____End of record _____

Certificate No. AMI 74603

The models identified above in the schedule are endorsed for ISO Type 5 application only.